

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of:

APPLICATION OF: PABLO STEINBERG  
SERIAL NO.: 10/573,134  
FILED: DECEMBER 18, 2006  
EXAMINER: MARK STAPLES  
ART GROUP: 1637  
TITLE: **METHOD FOR CONDUCTING NON-INVASIVE EARLY  
DETECTION OF COLON CANCER AND/OR OF COLON CANCER  
PRECURSOR CELLS**

---

Commissioner for Patents  
PO Box 1450  
Alexandria, VA 22313-1450

December 21, 2010

**REQUEST FOR CERTIFICATE UNDER RULE 322**

In accordance with the provisions of Rule 322 of the Rules of Practice which implement 35 USC 254, the Patent and Trademark Office is respectfully requested to issue a Certificate of Correction in the above-identified patent to correct

(1) mistake incurred through the fault of the Patent and Trademark Office in the printed patent document.

The mistake is below with reference to their occurrence in the patent and correspond to the attached Form PTO-1050:

(1) PTO's mistake

Item [73], the Assignee:

“Universitael Posidam ” should read

-- Universitaet Potsdam --.

### **REMARKS**

Patentee submits that the mistake in the description occurred through fault of the Patent Office. Patentee requests a Certificate of Correction. A copy of the Form PTO-1050 is enclosed.

It is respectfully requested that when the above-requested Certificate of Correction has been issued and entered in the file, that a certified copy of the Certificate of Correction be duly returned to the below-listed attorneys for the patentee.

### **ADDITIONAL FEE**

Please charge any insufficiency of fees, or credit any excess, to Deposit Account No. 14-1263. Respectfully submitted,

NORRIS MCLAUGHLIN & MARCUS, P.A

By /Bruce S. Londa/  
Bruce S. Londa  
Reg. No. 33,531  
875 Third Avenue, 8<sup>th</sup> Floor  
New York, NY 10022  
Phone: (212) 808-0700  
Fax: (212) 808-0844